


4U Switch Remote Monitoring Type Specifications



Overview

D-Link DKVM-4U Technical Specifications View and Download D-Link DKVM-4U technical specifications online. 4-PORT USB KVM SWITCH. DKVM-4U switch pdf manual.

Key Takeaways

The D-Link DKVM-4U is a 4-port USB KVM switch that allows remote monitoring and control of up to 4 computers from a single console with autoscan and hotkey support.

Control and Connectivity

- Supports up to 4 computers/servers using a single monitor, USB keyboard, and USB mouse .
- Each computer connects via DB-15 HDDDB video connector and USB 2.0 Type B for keyboard/mouse .
- Console connections include USB Type A ports for keyboard and mouse, and a DB-15 video port for the monitor .
- Hot-plug compliant, allowing computers to be added or removed without powering down .
- Video and Display
- Supports VGA, SVGA, and multisync monitors.

- Maximum resolution: 2048 x 1536 at 75Hz, with bandwidth up to 400 MHz without noticeable image degradation . Remote Monitoring and Control
- Autoscan function automatically cycles through connected computers every 10 seconds for operation-free monitoring .
- Hotkey switching allows selection of computers using keyboard shortcuts (e.g., Scroll Lock + Scroll Lock + 1-4 for computers 1-4) or console push buttons .
- Status LEDs on the front panel indicate which computer is active .
- Beeper confirmation provides audible feedback for switching actions . Keyboard and Mouse Emulation
- Emulates keyboard and mouse to ensure error-free booting of connected computers .
- Supports reset functions for mouse and keyboard via hotkeys (Scroll Lock + Scroll Lock + M), . Cabling and Installation
- Comes with two sets of 1.8 m (6 ft) KVM cables, each including a video cable and USB 2.0 cable .
- Additional KVM cables can be purchased for connecting all 4 computers.
- No drivers required for installation, making it plug-and-play . Compatibility
- Works with Microsoft Windows 98SE, ME, NT, 2000, XP, NT 2003 and Linux Red Hat . Additional Functions
- Auto-scan mode can be toggled on/off via hotkeys (Scroll Lock + Scroll Lock + S), .
- Beeper ON/OFF control via hotkeys (Scroll Lock + Scroll Lock + B).
- Maintains Caps Lock, Num Lock, and Scroll Lock status for each connected computer . The DKVM-4U is ideal for office environments or server rooms where multiple computers need to be monitored and controlled efficiently from a single console, saving space and reducing hardware costs .

Article Content

D-Link DKVM-4U Technical Specifications

View and Download D-Link DKVM-4U technical specifications online. 4-PORT USB KVM SWITCH. DKVM-4U switch pdf manual

D-LINK DKVM-4U SPECIFICATIONS Pdf Download | ManualsLib

View and Download D-Link DKVM-4U specifications online. 4-Port USB KVM Switch. DKVM-4U switch pdf manual download.

4-PORT USB KVM SWITCH

FEATURES Control up to four computers using a single USB keyboard, USB mouse and monitor Supports up to 2048 x 1536 video

C-DKVM-4U-01

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

DKVM-4U 4-Port USB KVM Switch | D-Link

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

4U Rack Mount Card Cage 4U (TCRM19BR)

Applications mily cards in a standard 19" rack. Power supplies can be remotely managed and dual load sharing power supplies

DKVM-4U 4-Port USB KVM Switch

Product Highlights Connect up to 4 PCs Manage several computers with one monitor, one keyboard and one mouse.

DKVM-4U D-Link 4-Port USB KVM Switch

The DKVM-4U allows you to control up to 4 computers from a single keyboard, monitor and mouse, so you

4-Port USB KVM Switch

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

KVM Switch Remote Unit

The user station directly connects to a VGA monitor and a USB keyboard and mouse where the user would normally sit. The user

4U 600 x 450

4U 600 x 450 - Wall Mount - Single Section Cabinet Avalon Cabinets are feature-rich rack enclosures optimized for easy installation,

Everything You Need to Know About 4U Server

Of the many options available, the 4U server rackmount remains the most popular and

Configure Remote Network Monitoring (RMON) Events Control

Objective Remote Network Monitoring (RMON) was developed by the Internet Engineering Task Force (IETF) to support monitoring

What Is a 4U Network Rack? Dimensions, Use Cases & Wall-Mount Tips

You'll get precise, actionable answers in under 60 seconds: A 4U network rack is exactly 7.0 inches (177.8 mm) tall,

4u switch enclosure

Type: Wall Mount Cabinet Color: N/A Material: Steel Specification: Form Factor:Wall Mountable Model #: SRWF4U \$ 494.52- More

How to Choose a Network Switch for a 4U Rack – Practical Guide

A no-fluff guide on selecting the right network switch for a 4U rack: port count, PoE, manageability, depth constraints,

L4491A 4U RF/Microwave Switch Platform

Technical Support L4491A 4U RF/Microwave Switch Platform KeysightCare Calibration and Repair Current

Gang Switch Chassis

Add reliability to critical networks and systems with a 4U Gang Switch system. Monitor and control access to networks remotely.

Remote Controls for Smart Homes | Control4

Take control of your smart home with the Control4 Halo and Halo Touch remotes – intuitive, customizable, and equipped with voice

What are 1U, 2U, and 4U in Servers?

The rack server does not look like a computer, but like a switch. It comes in 1U (1U=1.75 inches), 2U, 4U and other

SwitchMaster 4U Rackmount Gang backup switches for

SwitchMaster ® R6000 4U ganged A/B switching systems SwitchMaster ® 4U ganged A/B switches are compact multi-switch

Eaton Tripp Lite Series SmartRack 4U Low-Profile Vertical-Mount Switch ...

The SRWF4U SmartRack 4U Low-Profile Vertical-Mount Switch-Depth Wall-Mount Rack Enclosure Cabinet is designed to house

Product Catalog

From controllers and remotes to lighting and entertainment products, Control4's catalog of products makes every space more

Lutron Remote Power Modules (RPMs) Specifications

Detailed product specifications for Lutron Remote Power Modules (RPMs), including models, power, capacity, wiring, and load ratings.

Tripp Lite 4U WALL MOUNT RACK ENCLOSURE SERVER

The SRWF4U SmartRack 4U Low-Profile Vertical-Mount Switch-Depth Wall-Mount Rack Enclosure Cabinet is designed to house

Eaton Tripp Lite SRWF4U SmartRack 4U Low-Profile Vertical-Mount Switch ...

The SRWF4U SmartRack 4U Low-Profile Vertical-Mount Switch-Depth Wall-Mount Rack Enclosure Cabinet is designed to house

ZJW 4U Data Cabinet Network Cabinet Wall-mounted

- Brand Name : ZJW - Product Name : 4U Network Cabinet Wall-mounted Cabinet Monitoring Weak-box

Lemorele KVM Switch Dual-Monitor HDMI 4 USB Devices 2 Computers

Lemorele KVM Switch, Share 4 USB Devices Between 2 Computers | Dual-Monitor HDMI Switch | Compatible with Wired Keyboard,

Education 4u

We are working on exam-focused learning for Engineering, BCA, MCA, BSc Computers Diploma, Polytechnic students.

Rack unit

Rack with sample component sizes including an A/V half-rack unit A rack unit (abbreviated U or RU) is a unit of measure defined as

4U 600 x 450

4U 600 x 450 - Wall Mount - Single Section Cabinet Avalon Cabinets are feature-rich rack enclosures optimized for easy installation,

Everything You Need to Know About 4U Server

Of the many options available, the 4U server rackmount remains the most popular and

Configure Remote Network Monitoring (RMON) Events Control

Objective Remote Network Monitoring (RMON) was developed by the Internet Engineering Task Force (IETF) to support monitoring

What Is a 4U Network Rack? Dimensions, Use Cases & Wall-Mount Tips

You'll get precise, actionable answers in under 60 seconds: A 4U network rack is exactly 7.0 inches (177.8 mm) tall,

4u switch enclosure

Type: Wall Mount Cabinet Color: N/A Material: Steel Specification: Form Factor:Wall Mountable Model #: SRWF4U \$ 494.52- More

How to Choose a Network Switch for a 4U Rack – Practical Guide

A no-fluff guide on selecting the right network switch for a 4U rack: port count, PoE, manageability, depth constraints,

SmartRack 4U Low-Profile Vertical-Mount Switch-Depth Wall

The SRWF4U SmartRack 4U Low-Profile Vertical-Mount Switch-Depth Wall-Mount Rack Enclosure Cabinet is designed to house

Remote Service iQ Care Remote4U User's Manual

Always read the specifications issued by the machine tool builder, this manual, related manuals and attached documents before

D-Link DKVM-4U Technical Specifications

View and Download D-Link DKVM-4U technical specifications online. 4-PORT USB KVM SWITCH. DKVM-4U switch pdf manual

SmartRack 4U Low-Profile Vertical-Mount Vented Wall-Mount

Low-Profile Design Accommodates Switches, Panels and Other Standard Rack Equipment The 4U cabinet extends less than eight

L4491A 4U RF/Microwave Switch Platform

Technical Support L4491A 4U RF/Microwave Switch Platform KeysightCare Calibration and Repair Current

Gang Switch Chassis

Add reliability to critical networks and systems with a 4U Gang Switch system. Monitor and control access to networks remotely.

Remote Controls for Smart Homes | Control4

Take control of your smart home with the Control4 Halo and Halo Touch remotes - intuitive, customizable, and equipped with voice

What are 1U, 2U, and 4U in Servers?

The rack server does not look like a computer, but like a switch. It comes in 1U (1U=1.75 inches), 2U, 4U and other

D-Link DKVM-4U Technical Specifications

View and Download D-Link DKVM-4U technical specifications online. 4-PORT USB KVM SWITCH. DKVM-4U switch pdf manual

D-LINK DKVM-4U SPECIFICATIONS Pdf Download | ManualsLib

View and Download D-Link DKVM-4U specifications online. 4-Port USB KVM Switch. DKVM-4U switch pdf manual download.

4-PORT USB KVM SWITCH

FEATURES Control up to four computers using a single USB keyboard, USB mouse and monitor Supports up to 2048 x 1536 video

C-DKVM-4U-01

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

DKVM-4U 4-Port USB KVM Switch | D-Link

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

4U Rack Mount Card Cage 4U (TCRM19BR)

Applications mily cards in a standard 19" rack. Power supplies can be remotely managed and dual load sharing power supplies

DKVM-4U 4-Port USB KVM Switch

Product Highlights Connect up to 4 PCs Manage several computers with one monitor, one keyboard and one mouse.

DKVM-4U D-Link 4-Port USB KVM Switch

The DKVM-4U allows you to control up to 4 computers from a single keyboard, monitor and mouse, so you

4-Port USB KVM Switch

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

KVM Switch Remote Unit

The user station directly connects to a VGA monitor and a USB keyboard and mouse where the user would normally sit. The user

D-Link DKVM-4U Technical Specifications

View and Download D-Link DKVM-4U technical specifications online. 4-PORT USB KVM SWITCH. DKVM-4U switch pdf manual

D-LINK DKVM-4U SPECIFICATIONS Pdf Download | ManualsLib

View and Download D-Link DKVM-4U specifications online. 4-Port USB KVM Switch. DKVM-4U switch pdf manual download.

4-PORT USB KVM SWITCH

FEATURES Control up to four computers using a single USB keyboard, USB mouse and monitor Supports up to 2048 x 1536 video

C-DKVM-4U-01

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

DKVM-4U 4-Port USB KVM Switch | D-Link

The D-Link DKVM-4U KVM switch is a handy device that allows you to control up to 4 PCs using only one monitor, keyboard and

4U Rack Mount Card Cage 4U (TCRM19BR)

Applications mily cards in a standard 19" rack. Power supplies can be remotely managed and dual load sharing power supplies

Contact Us

Continue your research online:

Website: <https://thegalleryselfcatering.co.za>

Technical inquiry: <https://thegalleryselfcatering.co.za/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

